

210 Tillman Hall Rock Hill, SC 29733

REQUEST FOR QUOTATION

October 9, 2024

RFQ: FY25-RFQ-11 Weightlifting Equipment

REPLY BY: October 17, 2024 @ 10 A.M.

REPLY TO: Gary Peeples PHONE NUMBER: 803-323-2143

Director of Procurement EMAIL: peeplesg@winthrop.edu

DELIVERY DESTINATION: INVOICE TO:

peeplesg@winthrop.edu Winthrop University

Accounts Payable 125 Tillman Bldg. Rock Hill SC 29733

PAYMENT TERMS: NET 30

SCOPE OF WORK:

- 1. Winthrop University is seeking quotes from qualified and experienced companies (individually or collectively, the "Proposer") interested in providing Weightlifting Equipment for renovations to Winthrop University Ballpark Facility, (the "Work"). Details of the requested Work are attached hereto
- 2. Bid only as specified. No substitutions will be allowed.
- 3. Questions: Any prospective offeror desiring an explanation or interpretation of the solicitation, drawings, specifications, etc., must request it in writing. Questions regarding the original solicitation or any amendment must be received by the Procurement Officer by Monday October 14, 2024 by 10:00AM EST. Questions should be submitted via email to peeples@winthrop.edu
- 4. Protest: If you are aggrieved in connection with the solicitation or award of the contract, you may be entitled to protest but only as provided in Section 11-35-4210. To protest a solicitation, you must submit a protest within fifteen days of the date the applicable solicitation document is issued. To protest an award, you must (i) submit notice of your intent to protest within seven business days of the date the award notice is posted, and (ii) submit your actual protest within fifteen days of the date the award notice is posted. Days are calculated as provided in Section 11-35-310(13). Both protests and notices of intent to protest must be in writing and must be received by the appropriate Chief Procurement Officer within the time provided. See clause entitled "Protest-CPO". The grounds of the protest and the relief requested must be set forth with enough particularity to give notice of the issues to be decided. [02-2A085-2]

- 5. Deliveries shall be F.O.B. Destination, freight prepaid to Winthrop University. It is agreed by the parties hereto that delivery by the contractor to the common carrier does not constitute delivery to the University. Any claim for loss or damages shall be between the contractor and the carriers. All freight costs must be included in the cost of the items. Do not add a separate line for freight.
- 6. Unit price to be shown for each item.
- 7. Partial shipments will not be accepted on the specified quantity and on the specified delivery dates listed in the delivery schedule.
- 8. Manufacturer's standard warranty will be required in writing with the delivery of product(s).
- 9. DELIVERY SCHEDULE: <u>Delivery must be made AFTER OCTOBER</u> 28, 2024.

SPECIFICATIONS FOR WEIGHTLIFTING EQUIPMENT

I. REQUIREMENTS

- A. **SPECIFICATION:** New Weightlifting Equipment.
- B. <u>WORKMANSHIP</u>: All workmanship shall be first class in every respect. The finished items shall be free from all avoidable imperfections of manufacture and from defects affecting the appearance or serviceability.
- C. <u>WARRANTY</u>: The manufacturer warrants to the owner that all items furnished under these specifications will be WITH NEW MATERIALS, of good quality and workmanship, and agrees to replace promptly any units which by reason of defective materials or workmanship, shall fail under normal use, free of negligence or accident, for a minimum period of five (5) years from date of acceptance. Such replacement shall be free of any charge to the owner or his representative. Warranty applies only to the defects in material, workmanship and structure, and only to damage arising from normal usage.
- II. <u>ACCEPTANCE EVALUATION AND QUALITY ASSURANCE</u> Successful bidder will be required to furnish certification that items furnished as a result of these specifications comply with the required standards as described.
- III. <u>DELIVERY AND PAYMENT</u>: Delivery and payment for items under this specification shall be in accordance with the terms and conditions of this solicitation. The contractor shall be responsible for any packing, packaging or protection required to insure delivery in an undamaged condition. Weightlifting equipment shall be shipped by and in a closed truck and protected from damage direct from the contractor's plant or warehouse to the University and shall be individually packaged.

ORDERING DATA: All shipments of equipment shall include the Purchase Order Number and description on the delivery ticket and invoice.

BIDDING PROPOSAL/COST PROPOSAL

Item No.	Description	QTY	UOM	Unit Price	Total Price
1	Half Rack Package	4	EA		
2	High Bridge	3	EA		
3	0-90 Bench	6	EA		
4	Bar Black Zinc - 20kg	4	EA		
5	Black Training Bumper 45lbs	32	EA		
6	Black Training Bumper 25lbs	16	EA		
7	Black Training Bumper 10lbs	16	EA		
8	Black Training Bumper 5lbs	16	EA		
9	Urethane Change Plate 5lbs	16	EA		
10	Sorinex Urethane Change Plate 2.5lbs	16	EA		
11	Dumbbell/KB Storage Station	2	EA		
12	Functional Cable Column	1	EA		
13	8' Upright	1	EA		
14	Bridge Key (Ear)	3	EA		
15	Selectorized Lat Pull / Low Row Machine - Stand Alone	1	EA		
17	Power Rack Package: 3x3 11ga US Steel Tubing 4-Way Hole Design w/ 1" holes, spaced 2" on-center Fully Modular Accessory Compatibility Package includes- j-hooks w/ replaceable HDPE, spotter bars w/ HDPE protection, multi-grip pull-up bar, adjustable band/storage pegs, landmine, single leg roller pads, utility seat, integrated utility seat and bar storage, custom colors, and custom laser cut logos LIFETIME STRUCTURAL WARRANTY High Bridge: 3x3 11ga US Steel Tubing 4-Way Hole Design w/ 1" holes, spaced 2" on-center Fully Modular Accessory Compatibility Adjustable Bridge Key Mounting Plate for 6" and 12" variable height configuration Laser Cut and Bent 1/2" US Steel Connectors Custom Powder Coating included LIFETIME STRUCTURAL WARRANTY	1	EA		
18	Adjustable Bench: LxWxH- 55.25"x27"x18" Urethane Wheels Double Stitched Premium Naugahyde Upholstery Integrated Vertical Storage Laser Cut Stainless Steel Adjustment Angles w/ Numbering Knurled Front Handle Benches include custom color powder coat and custom color upholstery LIFETIME STRUCTURAL WARRANTY	1	EA		
19	Bumper Plates: Premium Rubber 17.72" IWF Standard Diameter	1	EA		

3% Tolerance Durometer Type A 85 20		Steel 6 Screw Hub			
Durometer: Type A 85 20 Dumbbell Storage Station: 3x3 11ga US Steel Tubing 4-Way Hole Design wt 1" holes, spaced 2" on-center Fully Modular Tray Adjustment Ability Integrated In-Frame Bar Storage Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knufling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH - 28'x4'x95.5" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH - 15'x30'x10't 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Upright Includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Upright Includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Upright Includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included Life Columns 1					
20 Dumbbell Storage Station: 3x3 11ga US Steel Tubing 4-Way Hole Design w/ 1" holes, spaced 2" on-center Fully Modular Tray Adjustment Ability Integrated In-Frame Bar Storage Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Krurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28'x47955" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 18'x30'x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder Coat Included LifeTiMe STRUCTURAL Warraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included United States Custom Powder Coat Included States Custom Powder Coat					
3x3 11ga US Steel Tubing 4-Way Hole Design w/1" holes, spaced 2" on-center Fully Modular Tray Adjustment Ability Integrated In-Frame Bar Storage Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Olilling Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4/X95.6" 2501b Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Comboc. 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 1:2 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included Custom powder coat, upholstery, and laser cut logos included		Durometer: Type A 85			
3x3 11ga US Steel Tubing 4-Way Hole Design w/ 1" holes, spaced 2" on-center Fully Modular Tray Adjustment Ability Integrated In-Frame Bar Storage Adjustable for dumbbells, Kettlebells, and med balls Custom Powder Coat Included LIFETINE STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Olille Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETINE STRUCTURAL WARRANTY 23 Lat Pul/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included	20	Dumbbell Storage Station:	1	EA	
4-Way Hole Design w/ 1" holes, spaced 2" on-center Fully Modular Tray Adjustment Ablify Integrated In-Frame Bar Storage Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWkH-1 28'x4'y55.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWkH-15''x30''x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attended unit Custom powder coat, upholstery, and laser cut logos included					
Fully Modular Tray Adjustment Ability Integrated In-Frame Bar Storage Adjustable for dumbbelis, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWkH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWkH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholster, and laser cut logos included		5			
Integrated In-Frame Bar Storage Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"y85.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 1 EA Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Adjustable for dumbbells, kettlebells, and med balls Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWM-1-28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on- center Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWM-1-51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on- center Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 21 Barbeli: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
LIFETIME STRUCTURAL WARRANTY 21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxW.H- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxW.H- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		_ _ =			
21 Barbell: 20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH-28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH-51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on-center Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		LIFETIME STRUCTURAL WARRANTY			
20kg Weight 28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Olillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included	21	Barbell:	1	EA	
28.5mm Diameter, 16.5" Sleeve No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28*x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
No Center Knurling Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28'x4'x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Dual Olympic/Power Markings 190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
190k PSI, 2000lb Tested Static Load Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		_			
Pressed, Machined, Plated Dual Oillite Self Lubricating Bronze Bushings 22 Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Dual Oillite Self Lubricating Bronze Bushings Punctional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Functional Cable Column: 3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		Dual Oillite Self Lubricating Bronze Bushings			
3x3 11ga US Steel Tubing Frame DxWxH- 28"x4"x95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included	22	Functional Cable Column:	1	EA	
DxWxH- 28"x4'X95.6" 250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
250lb Weight stack 2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxwxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
2:1 Ratio Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
center Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" on- center Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
standing or rack-attached unit Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 1 EA Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Custom Powder Coat Included LIFETIME STRUCTURAL WARRANTY 1 EA 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
LIFETIME STRUCTURAL WARRANTY Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as free-standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
23 Lat Pull/Low Row Combo: 3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
3x3 11ga US Steel Tubing Frame DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		LIFETIME STRUCTURAL WARRANTY			
DxWxH- 51"x30"x101" 300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included	23	Lat Pull/Low Row Combo:	1	EA	
300lb Weight stack 1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		3x3 11ga US Steel Tubing Frame			
1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included		DxWxH- 51"x30"x101"			
1:1 Ratio 12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
12 Position Modular Knurled Foot Pegs 3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
3/16" Nylon Coated Aircraft Cable Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Integrated Band Compatibility for Weight Stack Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Front Upright includes modular 4-way 1" holes spaced 2" oncenter Adjustable and detachable rear spine for compatibility as freestanding or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
center Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Adjustable and detachable rear spine for compatibility as free- standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
standing or rack-attached unit Custom powder coat, upholstery, and laser cut logos included					
Custom powder coat, upholstery, and laser cut logos included					
LIFETHIVIE STRUCTURAL WARRAINTY					
		LIFETHINE STRUCTURAL WARRANTY			
Total Price \$		Total Price			\$



210 Tillman Hall Rock Hill, SC 29733

DATE:	
COMPANY NAME:	_
ADDRESS:	
PHONE:	
EMAIL:	
PRINTED NAME OF PERSON SUBMITTING QUOTE:	
SIGNATURE OF PERSON SUBMITTING QUOTE:	

*** Your signature confirms pricing and delivery completion date. Return all pages of this Request for Quote. ***